CN50

Accessory Guide

Docks and Modules

| Accessory Name | Part Number | Description |
|-------------------------------|-------------|--|
| 4-Bay Multi-Dock, Ethernet | 871-032-101 | Charge and transfer data for up to 4 devices with Ethernet interface. |
| 120/20/20 | | Requires AC adapter (851-082-205 everywhere except EMEA; 851-095-121 is required for use in EMEA) and country specific power cord. |
| 4-Bay Multi-Dock, Charge Only | 871-032-002 | Charge up to 4 devices. |
| (A TO TO TO | | Requires AC adapter (851-082-205 everywhere except EMEA; 851-095-121 is required for use in EMEA) and country specific power cord. |
| Single Dock | 871-033-001 | USB Host and Client Support with bay for charging a spare battery pack. (8.9"L x 4.5"W x 2"T) Requires AC adapter (851-061-502) and country-specific power cord. Optional: Single Dock Ethernet Module (871-025-101). |
| Single Dock Ethernet Module | 871-238-001 | CN50 Ethernet Module interfaces with USB Host connector on Single Dock, (871-033-001). (1.5"L x 2.5"W x 1"T). |
| Vehicle Holder | 805-664-001 | Non-Powered vehicle holder for hands-free communications. |
| | | Holder can be used with or without vehicle power adapter. |
| | | Requires mount (805-611-001). |
| Vehicle Dock Mounting Kit | 805-611-001 | Allows for mounting of Vehicle Holder (805-664-001) in route vehicle applications. Consists of one 4 ¾" adjustable pivot arm with two 1 ½" stainless steel balls and assembly hardware. Due to wide range of possible applications, this kit doesn't include hardware for securing mount to vehicle. |
| | | Requires holder (805-664-001). |
| Mag Stripe Reader | 850-573-001 | Snap-on Adapter. Attaches to the heel of CN50 devices and provides magnetic stripe reader. |
| RS232 / DEX Adapter | 850-578-001 | Snap-on Adapter. Attaches to the heel of CN50 and provides RS232 communications via DB9M connector. |
| | | Must order cables, including DEX cable 236-194-001, separately. |



CN50

Accessory Guide

Batteries and Chargers

| Accessory Name | Part Number | Description |
|--|--|---|
| EXT Capacity Battery Pack | 318-039-001 | One (1) extended battery pack, 3900 mAH, 3.7 V Li-Ion Prismatic Cell. Provides 14.4 watt hours. |
| Quad Battery Charger | 852-068-001 | Simultaneously charge up to 4 batteries. Requires AC adapter (851-061-502) and country specific power cord. |
| AC Adapter for Multi-Dock | 851-082-205; 851-095-121 is required for use in EMEA | AC adapter for multi-docks (871-032-101) and (871-032-002). |
| | TOT USE ITT LIMILA | Not for Quad Battery Charger (852-068-001) |
| | | Requires country specific power cord (page 3). |
| AC Adapter for Quad Battery Charger and Single Dock | 851-061-502 | AC adapter for quad charger (852-068-001) and single dock (871-033-001). |
| | | Not to be used for the "Ethernet" multi-dock (871-032-101) and the "charge only" multi-dock (871-032-002) |
| | | Requires country specific power cord (page 3). |
| AC Power Adapter | 851-093-201 | Desktop AC power and communication adapter with USB port, enabling desktop charging and data transfer. |
| | | Requires country specific power cord (page 3). |
| Vehicle Power Adapter | 852-070-001 | Vehicle 12V-24V adapter for charging on the go. |
| | | Can be used as a heel clip on the CN50 or it can be permanently mounted to the bottom of the vehicle dock. |

CN50

Accessory Guide

Power Cords

| Accessory Name | Part Number | Description |
|----------------|--------------|------------------------------------|
| AC Power Cord | 321-470-001 | AC Power Cord, Switzerland |
| | 321-500-001 | AC Power Cord, Japan |
| | 071918 | AC Power Cord, China RoHS |
| | 1-974027-025 | AC Power Cord, Europe RoHS |
| | 1-974028-025 | AC Power Cord, US RoHS |
| | 1-974029-020 | AC Power Cord, UK RoHS |
| | 1-974030-025 | AC Power Cord, Australia RoHS |
| | 321-471-002 | AC Power Cord, Italy RoHS |
| | 321-501-002 | AC Power Cord, Denmark RoHS |
| | 321-502-002 | AC Power Cord, India/S Africa RoHS |

Data Cables

| Accessory Name | Part Number | Description |
|------------------|---------------|--|
| USB Data Cable | 236-209-001 | USB-A to USB Micro-B Plug (2 meters) |
| | | Connects the desktop adapter (851-093-001) to PC USB port enabling quick data transfer. |
| USB Data Cable | Product Links | Micro USB (Male) to Standard USB (Female) |
| | | For connecting an accessory such as a memory stick. |
| | | See Digi-key # H11576-ND |
| DB9 to DEX Cable | 236-194-001 | For use with RS232/DEX Adapter (850-578-001). Includes thumb screws for secure attachment. |

Replacement Parts

Touchpanel Protector Kit

| Accessory Name | Part Number | Description |
|-----------------------|-------------|--------------------------------------|
| Kit – Handstrap | 203-899-001 | Handstrap replacement (5 Pack) |
| Kit – Stylus Tethered | 203-900-001 | Stylus tethered replacement (5 pack) |
| Belt Holster | 815-066-001 | Belt holster for CN50. |

346-069-104

Clear plastic LCD overlays. Same as CK31.

Pack of 10



Copyright © 2013 Intermec
Technologies Corporation. All
rights reserved. Intermec is a
registered trademark of Intermec
Technologies Corporation. All
other trademarks are the property
of their respective owners.
611943-E 02/13